

High Roof Wide Body

Ð

HIACE

Also available in Mid Roof Wide Body.

â

C

Standard Roof Standard Body

1H

# A consistent breakthrough performer

A heritage of proven performance with sleek styling and the enhanced capacity of a Wide and Super Long Body.

THE REAL PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY ADDR

100.00

衞

HIGE



## Intelligent Design for Easy Driving

Intelligent design assures improved control and driving ease at all times. Essentials, indicators and switches are positioned for maximum visibility and intuitive operation and the new panel-mounted shift lever allows pass-through access from either side of the cabin. Ergonomic seat design contributes to a fatigue-free driving experience on long trips and in stop-and-go city traffic, keeping you refreshed, alert and focused on the road ahead.

#### Loaded with Features to Make Worklife Easier



Front seat with active head rest



Reclining seats with seat belts



4-spoke urethane steering wheel



Lower glove box

High mount stop lamp



Dual A/C control



AM/FM, USB, 2SP



Single rear window wiper



Dial controls with center buttons







Sliding window

NEW /

Crystal head lamps



Audio includes





Rear reclining seats with head rests (only available in High roof)



Standard Roof & Mid Roof Seating Style

### Improved Passenger Space & Comfort

The HIACE has excellent safety features, a newly designed and improved seating area, HIACE is a relaxing and a comfortable vehicle for passengers for long rides with the advantage of head-rest and safety belt with every seat with which passengers can enjoy their pleasant journey safe and sound. HIACE's seat fabrics have been strengthened to withstand long-term wear and tear, giving you added confidence in its all-round durability. HIACE has been developed with functionality in mind, to be great to use and easy to live with. Whichever body design you pick, every HIACE delivers a hard-working combination of functionality, flexibility and comfort.

#### **Class-Leading Capacity and Versatility**

Offering the highest cargo capacity in its class, the HIACE Van makes it easy to load and unload a wide range of bulky and odd-shaped items.



Spacious entry/exit



Dual A/C with seperate air vent



Luggage space





## Tough for Heavy Duty Load

Whatever the load, on whatever the road, HIACE performance will see you through. A choice of four different engines is available and all offer the outstanding power and reliability, for which we're famous, but the HIACE Van isn't just powerful, it's also surprisingly nimble with a small turning radius that makes it easy to maneuver in tight quarters.




### A Powerful and Fuel Efficient Engine Line-up


Choose from the powerful acceleration of a 2TR-FE, 2.7L Petrol engine, 2694cc 16 Valve DOHC with VVT-i (intake only) or a 2KD-FTV Diesel 2494cc, 16 valve DOHC.

Diesel Engine (2KD-FTV)





Petrol Engine (2TR-FE)




140 120

OUTPUT(kW






Driver and passenger seat SRS (Supplemental Restraint System) airbags (OPT)\*



ABS (Anti-lock Brake System)



concept seat design



WIL (Whiplash Injury Lessening)



New upper and lower front frame members

loor bear

High rigidity body for excellent

stability and durability

Front suspension - double

wishbone




The HIACE Van has a proven track record of durability with numerous designed features. It includes superior active safety system and impressive handling with dynamic stability for the passengers' satisfaction. Contributing to long-term reliability, it helps protect your vehicle investment and ensures your passengers' safety.



Corrosion resistant



Rear suspension - rigid leaf



Brake pedal and steering shaft intrusion-reduction system



Seat belt

### A Choice of Body Style



High Roof & Wide Body 2.5L Diesel Mid Roof & Wide Body 2.7L Petrol Standard Roof 2.5L Diesel 2.7L Petrol

TECHNICAL SPECIFICATIONS*	Engine		Petrol Models			Diesel Models	
	Body type	MID ROOF			ROOF		HIGH ROOF
	Katashiki	TRH213R-JEMDK	TRH203R-REMDK	TRH203R-REMDK	KDH202R-REMDY	KDH202R-REMDY	KDH222R-LEMD
	Suffix	TR-A2	TR-A1	TR-02	KDH- 08	KDH- 09	KDH- 10
Major Dimensions & Weight	Length (mm)	4840		40	95		5380
Overall	Width (mm)	4840 4695 1880 1695					1880
	Height (mm)	2105	1980				2285
Wheelbase (mm)	rieigint (min)		2570 2570				3110
	Front (mm)	1655					1655
Tread	Rear (mm)	1650 1465					1650
	Front (mm)	1190					1190
Overhang	Rear (mm)	1080 1075					1080
Min. Running Ground Clearance (mm)		185					
Fuel Tank Capacity	Ltr	70					
Seating Capacity (persons)		16		1	5		16
Engine					I		
Engine Model Code			2TR-FE			2KD-FTV	
No. of Cyls & Arrangement	(		4 Cylinders, In line			2494	
Displacement	(cm3)		2694				
Compression Ratio			9.6				
Fuel System		EFI 16 Valve DOHC with VVT-i			Common Rail Type		
Valve mechanism Intake system		16 Valve DOHC with VVT-i Naturally Aspirated			16 Valve DOHC Turbocharger		
Max. Output	(RPM/RPM)	Naturally Aspirated 111/4800				75/3600	
Max. Torque	(N·m/Rpm)	<u>111/4800</u> 75/3600 241/3800 260/1600-2400					
Emission Certification	(in inviripini)		2-170000	FLIE	I RO II	200,1000-2400	
	Front				Disc Brake		
Brake Type	Rear	Leading-Trailing Drum Brake					
	Front	Double Wishbone					
Suspension Type	Rear	Leaf Spring Rigid Axle					
Power Steering Type				Hydi	aulic		
Exterior							
Tire and Disc Wheel				195/	R15C		
Rear Window Wiper				Intern	nittent		
Outside Rear View Mirror		0					
Headlamp				Halo			
Mud Guards					0		
High Mount Stop Lamp		With(LED)					
Wheel Cap		Full Cap Ground Tire					
Spare Tire				Grour	id Tire		
Interior Steering wheel				4 Spoko	Urathana		
Inside Rear View Mirror		4-Spoke Urethane Day and Night					
Rear Window Defogger		With (W/Timer)					
Audio		AM/FM, USB, 2SP					
Console Box		AM/FM, USB, 2SP Center Seatback with 2 Cupholder					
Room Lamp		Front (1), Rear (1) W/Switch		Contor Couldant	Front (1), Rear (2)W/Switch	1	
Seat Material		Fabric		Vinyl L	.eather		Fabric
Dual Air Conditioner		0			(		0
Hastar	Front				)	ı	
Heater	Rear			x			0
Rear Headrest				х			0
Steering Column				Manu	ial Tilt		
Power Steering				(			
Cup Holder					3:2		
Ash Tray					)	1	
Glove Box			Upper:1	Lower:1		Lov	wer:1
Front Headrest							
Front Seat Reclining					+P		Canal Dealler
Rear Seat Adjuster				Without	Motor		Semi Reclining
Clock					n-Meter 12V		
Accessory Connector Assist Grip		FR:3 Slide Door:1			12V R:3		FR:3 Slide Door:
Assist Grip Seat Assist Grip		T N.S SIILE DOUT: I			1:3 D		
Step Lamp		0			nout		0
Sun Visor		0			Fabric)		
Safety				D+F (I			
ABS				x			0
Air Bag System				x			0 )+P
	Front			2 2P NRX1			retensioner) 2P NRX <sup>-</sup>
Seat Belt	Rear	13x (2-Point Type)			pint Type)		13x (2-Point Type
Light Densing Wayning		,			Buzzer)		
Light Remind Warning							

\*Indus Motor Company Ltd. reserves the right to alter any details of specifications and equipment without notice. Details and equipment are also subject to change to suit local conditions and requirements. \*\*Terms and Conditions Apply.



Sales

INDUS MOTOR COMPANY LIMITED





Spare Parts







Customer.relations@toyota-indus.com

💮 www.toyota-indus.com

f ToyotaPakistanOfficial

manhattan